

Receiving Report

Date: 12/10/16 Batch No: M123313
Supplier: WESLEY COAT Dart P/O: 18067

Discrepancies

Discrepancies						
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M174 PN.1.000		36	0	0	36	
M174 PN.1.275		36	0	0	36	

Initials of receiver (if shipment OK) Level 12

Production/Admin:
Date
Received/Costing
Initial

Location

UNIFORM Purchasing Approved Purchase ORDER FORM Page D



A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1502292

Ship From:	Sold To:	Ship To:	Deliver To:				
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE-CLAIRE, QUEBEC H9R 3S2	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA				
Date Shipped	F.O.B.	Freight Terms	BOL No				
12-OCT-2012	ORIGIN	Prepaid	1502292-2				
Final Destination Branch - MON							
Shipment Details							
Order No	Line No	Item No	Description				
2471590	1	4632.B.O	0.7500.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
18067		300.00 LBS	208.6608 FT				
Details	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
Delivery No.	VALBRUNA CORPORATION	253415	(17)	(1.0000)	147.2900	313.0000	

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements forming a part of the description. Material cut to the correct size, or material cut by the customer cannot be returned. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

S. A. G.
84

12/10/16

R. J. Morris
12/10/16

Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine produtrice

Stato di fornitura: - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Specifiche:
Anforderungen / Requirements / Exigences

VSI 0 303 HS A.CF
AMS 5640 U TYPE1 A
ASTM A320 2011 B8F (1)
MIL-S-862 B/1 303

(0) SEC.II PT.A 2010 EDITION ADD. 2011a
(1) Chemical analysis only.

Qualità: T-303
Werkstoff/Grade/Nuance

Marca: MV188ZHS Markenbezeichnung BrandNuance		Tolleranza: Tol. ASTM A484 Toleranz/Accordance/Tolerance	Punzonatura: 303 Kennzeichnung/Marking/Marquage					
Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr.	
0090	Round	0,7500	147 / 147	253415		1.689	107505340	

TEST ALLO STATO DI FORNITURA			
Test on delivery condition Prüfung auf lieferbereitem produkt test à l'état de fourniture Prueba sobre el material así como entregado			
TEST	Provetta/Probestab Specimen/Probekette Lang.diam Spess. Breite Diam. Dicke Width Diam. Thickness Lang. diam. épaisse mm	° F Posiz. Saggio Potenzial Location Enthärtung 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.
Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max	-	-
A	12,5	68 L	80
		103	38
		53	
TEST		min	max
A	Grain size for ASTM E112		5

Mechanical properties according to ASTM A370.

1)L=longitudinale/längs, T=trasversale/quer, Q=Tangenziale/tangential

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata /Heat Schmelze/Coulée	min 0,030 max 0,050	0,20 1,00	1,50 2,00	17,00 19,00	- 0,60	- 1,00	8,00 10,00	- -	- 0,100	0,32 0,40	- 0,4000	- -	- -	- -	- -
253415	C % 0,038	Si % 0,42	Mn % 1,77	Cr % 17,00	Mo % 0,60	Cu % 0,62	Ni % 8,00	Co % 0,115	P % 0,031	S % 0,32	Zr % 0,0064				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material was furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verweichungsprüfung: spectralanalytisch durchgeführt
Aniliming testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks:satisfactory
Contrôle visuel et dimensions: satisfaisant

Melted and manufactured in Italy

No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation

Vicenza, 06/04/12
VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine
M.Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine produtrice

Stato di fornitura: - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

Avviso di Spedizione: D-VI12010816
Lieferanzeige/Packing list/B.L.

Ordine nr: 203003611 STOCK
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungart/Melting process/Mode d' elaboration

Certificato nr: MEST184947/2012/
Prüfung/Test/Essai

Conferma ordine nr: EI12002961
Werks/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Signe de l' usine produtrice



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Poinçon de l' assayeur



of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
Maxival and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 06/04/12
VCCQ08
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L' agent d' usine

M. Rizzotto

Pagina - 2 di 2



PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1502292

Ship From:	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier
12-OCT-2012	ORIGIN	Prepaid	MANITOULIN
			BOL No 1502292-2

Shipment Details

Order No	Line No	Item No	Description
2465306	5	14828	1.0000 RD.304/304L STAINLESS.CF ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276
Purchase Order No		Part Number	Ordered Qty
18067			36.00 FT
			<i>Invoice Qty 36.5000 FT</i>
Details	Mill	Heat Number	Mech Id
Delivery No.	NORTH AMERICAN STAINLESS	7CW7	<i>3</i>
118037358			

Details	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)

These commodities/technologies are subject to US Export Administration & US Stats Dept. Regulations and, if intended for export, were/were exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative: _____ Date: _____ Name: _____

[Signature] 12/1/09
[Signature] 8-89



NORTH AMERICAN
STAINLESS

METALLURGICAL TEST REPORT

6870 Highway 42 East
Chent KY 41045-9615
(502) 347-6000

Certificate: 599237 05 Mail To:
A.M. CASTLE AND COMPANY
3400 NORTH WOLF ROAD
FRANKLIN PARK IL 60131

Customer: 0032 001 Item Code: 14828
NAS Order: LN 66588 1

Your Order: 74985

PRODUCT DESCRIPTION:

ASTM A193/09-ASME SA193/09 CL 1 GR B8 (EXC PAR 7.2)
GRAIN SIZE= 4-6
Round Bar, Annealed, Cold Draw
UNS 30400/30403 EN 10204 3.1, ASTM A484/08
ASTM A276/08A, ASTM A479/08, ASTM A182/08A CHEM ONLY,
ASME SA479/07, ASME SA182/08A CHEM ONLY
AMS 5639H, AMS 5647H, AWS QQS-763B, QQS-763F

DAS
14/01/06

Date: 11/09/2010 Page: 1 of 1

Ship To:
A.M. CASTLE AND COMPANY
3400 NORTH WOLF ROAD
FRANKLIN PARK IL 60131

Steel: 304/304L
Finish: Cold Draw
Dia/mhk: 1.0000 in
Leg Length:
Length: 144.00 in
Corrosion: ASTM A262 Frac A/E

REMARKS:

COMPLIES W/REQUIREMENTS OF DEARS EU DIRECTIVE 2002.95.
EC. ROHS. EAF-AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA
FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Bundle	Weight	Bundle	Weight	Bundle	Weight	Bundle	Weight	Bundle	Weight	Bundle	Weight	Bundle	Weight	Bundle	Weight
BD35986	1.888	BD35987	1.868	BD35989	1.832										

CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Heat	Supplier #	CM	C	CO	CR	CU	ZN	MO	N	NI	P	S
7CW7	US	.025	.13	18.08	.41	1.52	.26	.077	8.56	.028	.0230	

Castle Metals FP

HEAT NUMBER	ITEM CODE	LOT NUMBER
7CW7	14828	14985

MECHANICAL PROPERTIES

o i c	HB No.	.2YS KSI	UTS KSI	RA %	Elong % 4D	PO NUMBER	RECEIPI DATE
ED35986	R L	209.0	83.52	104.10	68.74	42.63	11-15-10
ED35987	R L	209.0	83.52	104.10	68.74	42.63	
ED35989	R L	209.0	83.52	104.10	68.74	42.63	

SUPPLIER	SPECIFICATION	LCS	COMMENT	APPROVED
NAS				

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HESS



PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1502292

Ship From:	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier
12-OCT-2012	ORIGIN	Prepaid	MANITOULIN
			BOL No 1502292-2
Shipment Details	Final Destination Branch - MON		
Order No	Line No	Item No	Description
2465306	3	26790	0.2500.4.0000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000
Purchase Order No	Part Number		SPECIFICATIONS: ASTM A276
18067			Ordered Qty 24.00 FT
Details			Invoice Qty 25.3333 FT
Delivery No.	Mill	Heat Number	Mech Id
118037358	VALBRUNA CORPORATION	245154	2

Details	Mill	Heat Number	Mech Id	PCN	Width (IN)	Length (IN)	Shipped Qty(LBS)
				2		152.0000	86.1333

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/were exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

DAS
12/10/16

CJL/10/16

Acciaierie Valbruna s.p.a.



36100 VICENZA (Italia) - Viale della scienza, 25 z.I.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bestell/Purchaser Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
USA-FORT WAYNE, IN 46801-USA

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Herrschafft/Manufactura produttore

Oggetto Prove: Descaled Annealed Hotrolled
Prüfgegenstand/Bien Inspected/Fixage

Avvio di Spedizione: D-VI07028470
Lieferanfangszeit/Fixierung Datei

Ordine nr: 21431 STOCK CHINO
Bestell/Your order/Commande

Tipo di Elaborazioni: E+AOD
Eisenbearbeitung/Welding process/Méthode d'élaboration

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

Certificato nr: MEST547066/2007/
Prüfung/Test/Essai

Conferma ordine nr: EI07006993
WeiterOur Order/Réf nr.

Marchio di Fabbrica:
Zeichen des Herstellers/
Trade mark/
Sigle da fabbrica produttore



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspecteur's stamp/Emblème de l'inspecteur

Specifiche:
Anforderungen/ Requirements / Exigences

VSI 0 304/304L A
AMS-QQ-S-763 B 304/304L A
ASME SA276 2004 S30400/03 A 2
ASTM A182 2007 S30400/03 A 6
ASTM A276 2006 S30400/03 A
ASTM A370 2007 A .
MIL-S-882 B/1 304/304L .
(0) SEC.II PT.A 2004 EDITION ADD.2006
(1) SEC.II PT.A 2004 EDITION ADD.2006
(3) SEC.II PT.A 2004 EDITION ADD.2006
(5) Chemical analysis only and mechanical properties.
(7) * ISO 15156-3

AMS 5639 H S30400 A
ASME SA182 2004 S30400/03 A 6
ASME SA479 2004 S30400/03 A (4)
ASTM A183 2007 B8 CLASS1
ASTM A314 97 S30400/03
ASTM A473 2001 S30400/03 8
NACE MR0175* 2003 S30400/03 A 7

AMS 5647 H S30403 A
ASME SA183 2004 B8 CLASS1 (1)
ASME SA479 2004 S30400/03 A (4)
ASTM A282 2002A PRACTICE E
ASTM A320 2007 B8 CLASS1
ASTM A479 2006A S30400/03 A

0Chemical analysis only and mechanical properties.
2SEC.II PT.A 2004 EDITION ADD.2006
4SEC.II PT.A 2004 EDITION ADD.2006
6Chemical analysis only.

Qualità: T-304L
Werkstoff/Grau/Niveau

Marca: AISI
Markenbezeichnung/Brand/Niveau

Pos. nr. Pos. nr. Item nr. Nr. de poste	Objetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Dimensions Dimensions	Tolleranza Toleranz Allowance Tolerance	Lunghezza - Ft Länge - Length Longueur	Colata Schmelze Melt Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Weight Poids	Lotto nr. Lotto-Nr. Lot N.
0050	Flat	4,0000 x 0,2500	484-05A	12 / 13	245154		4,244	705401180

Sono state soddisfatte tutte le condizioni richieste
Die gesuchten Anforderungen sind in Arbeit erfüllt.
The material has been furnished in accordance with the requirements.
La matière a été livrée conformément aux exigences.

Punzonatura: T-304L
Kennzeichnung/Verkag/Markage

TEST	Provetti/Proben Exemplaires/Probewürfel Längsdicke Width Max. Diam. Thickness Larg. diam. épaisseur IT01	°F Post. Seggi Position Positionnement 1)	Smerigliamento Schleifen Usinage Rp 0,25 K.s.l.	Smerigliamento Schleifen Usinage Rp 0,25 K.s.l.	Allungamento Brockung Dilation Allongement	Sfondatura Brockung Dilation Abergraving	Ritidione Ritidione Ritidione RA	Ritidione Ritidione Ritidione HB
Value richiesti/1 Anforderungen/required values Tollerance dimension	min max	30	-	75 115	-	40	-	50
A 20X6,3	68 L 41			88		55	67	

Grain size for ASTM E112 : 5

1) Longitudinal ring, Cross transverse face, T=Transversal grain

DAS
14
-89
12/10/11/11

Analisi chimica

Chimische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Melt Schmelze/Coulée	min - max 0,050	1,00	- 2,00	16,00 20,00	1,00	1,00	8,00 10,50	- 0,040	0,020 0,030	- 0,100	- -	- -	- -
245154	O % 0,020	0,40	1,62	18,13	0,46	0,51	8,13	0,090	0,028	0,030	0,087		

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1960°F for 1 h/H2O.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A282 pract. E: ok.

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair

Material free from Mercury or radioactivity contaminated

The Quality Management System is Certified acc. Pressure Equipment Directive 97/23/EC Annex I, c, 1, 3 by TÜV and LLOYD'S

CASTLE METALS STO
245154
HEAT NUMBER _____
MECHANICAL ID _____
ITEM CODE _____
LOT NUMBER _____
PURCHASE ORDER _____
SUPPLIER _____
SPECIFICATION/LCS _____
COMMENT _____
APPROVED/DATE _____

Vicenza, 16/10/07 VC0098 (Mod. MCRR)	Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine M.Rizzoli	Pagina - 1 di 1
--	---	-----------------



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18067**

Purchase Order Date 10/03/12

PO Print Date 10/04/12

Page Number 1 of 4

Order From : VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W 0E9
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

CAD

Currency

FOB Destination-Collect

123294

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
(RECEIVED)

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
	Vendor Part Number						
1	M174B1.250X02.000 <i>050</i>	17-4 SS Bar 1.250 x 2.00	10/15/12 Yes	24.00 <i>24-3333</i>	Yours ppd <i>f</i>	\$46.3500 <i>10/04/12</i>	\$1,112.40
2	M174PH-H900R1.000	17-4SS H900 ROUND BAR 1.00	10/15/12 Yes	36.00 <i>f</i>	Yours ppd	\$10.0700	\$362.52

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

No substitution or deviation without consent.
Certificate of Conformity or Material Certification required? **YES** **NO**

Change Nbr: 2

Change Date: 10/04/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18067

Purchase Order Date 10/03/12

PO Print Date 10/04/12

Page Number 2 of 4

Order From : VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W 0E9
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Special Inst: MATERIAL: 17-4 PH COND. H900
AS PER AMS 5643

NOTE:
PLEASE SHIP MATERIAL TO METCOR
INC.
560 BOULV. ARTHUR SAUVE
SAINT-EUSTACHE, QC
J7R-5A8
450-473-1884

3 M174PH-H900R1.375 17-4 SS H900 ROUND
BAR 1.375 10/15/12 36.00 Yours ppd \$16.4600 \$592.56

Yes f

Special Inst: MATERIAL: 17-4 PH COND. H900
AS PER AMS 5643

NOTE:
PLEASE SHIP MATERIAL TO METCOR
INC.
560 BOULV. ARTHUR SAUVE
SAINT-EUSTACHE, QC
J7R-5A8
450-473-1884

4 M303R0.750 303 Round Bar 0.750 10/15/12 200.00 Yours ppd \$3.6800 \$736.00

028

208-6608

11/14/15

Special Inst: MATERIAL: AISI 303 SS ROUND BAR AS
PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

No substitution or deviation without
consent.

Certificate of Conformity Material
Certification required - YES NO

Change Nbr: 2

Change Date: 10/04/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18067**

Purchase Order Date 10/03/12
PO Print Date 10/04/12

Page Number 3 of 4

Order From : VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W 0E9
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

5	M303R1.000 <i>028</i>	303 Round Bar 1.00	10/15/12 Yes	24.00 f	Yours ppd <i>24.333</i>	\$8.5700	\$205.68
---	--------------------------	--------------------	-----------------	------------	----------------------------	----------	----------

Special Inst: MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

6	M304B0.250X4.000 <i>050</i>	304 BAR .250 x 4.00	10/15/12 Yes	24.00 f	Yours ppd <i>26.333</i>	\$17.2400	\$413.76
---	--------------------------------	---------------------	-----------------	------------	----------------------------	-----------	----------

Special Inst: MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240
NOTE: AISI 303 NOT ACCEPTABLE

7	M304R0.375 <i>029</i>	304 ROUND BAR 0.375	10/15/12 Yes	108.00 f	Yours ppd <i>108.00</i>	\$1.3900	\$150.12
---	--------------------------	---------------------	-----------------	-------------	----------------------------	----------	----------

Special Inst: MATERIAL: MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276
NOTE: AISI 303 NOT ACCEPTABLE

8	M304R1.000 <i>029</i>	304 round bar 1.00	10/15/12 Yes	36.00 f	Yours ppd <i>36.00</i>	\$7.7200	\$277.92
---	--------------------------	--------------------	-----------------	------------	---------------------------	----------	----------

Special Inst: MATERIAL: MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276
NOTE: AISI 303 NOT ACCEPTABLE

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES NO

Change Nbr: 2

Change Date: 10/04/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18067**

Purchase Order Date 10/03/12

PO Print Date 10/04/12

Page Number 4 of 4

Order From : VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W 0E9
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

9	M6061T6R0.563 <i>613</i>	6061-T6 ROUND BAR .563	10/15/12	✓ 96.00 Yours ppd <i>f</i> <i>14/11</i>	\$2.6300	\$252.48
---	-----------------------------	---------------------------	----------	--	----------	----------

Special Inst: 6061-T6 (OR 6061-T651/ T6510/ T6511/
T62) ROUND BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 OR
(AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8)OR
AMS 4160)
OR ASTM B211 OR ASTM B221

PO Total: \$4,103.44

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 2

Change Date: 10/04/12

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required YES NO